

ELLI SERIES



HA259




Feature


- Contemporary style area lighting
- Very High quality for upmarket
- Heavy-duty, die-cast FRP housing
- High efficiency inner acrylic refractor & outer PC diffuser
- Tool-less removable power tray assembly for ease of maintenance
- Available with medium- or mogul-base socket
- Base casting slip fits over a standard 3" O.D. tenon



Dimensions



Mechanical



Specifications

Lamps

70W//150W HPS high pressure sodium, cap: E27/E26/E40/E39

70W/150W MH metal halide, cap: E27/E26/E40/E39

45W compact fluorescent, cap: E27/E26

Material

Canopy :Spun Aluminium

Cap & Housing : Fiberglass-reinforced plastics,excellent mechanical strength and bear the causticity ,vacuum metalizing for the Reflector

Lampshade : High efficiency polycarbonate

Refractor bowl : High efficiency acrylic refractor

Finish: Standard painting colors is black (BK) ,other colors dark grey(GY)(RAL7016),light grey(LG)(RAL7042) are available

Standards


Isolation degree Class I, Protection degree IP65

Mounting

Post-top: suitable for 76mmx90mm tenons

Photometrics


Photometric curve



Lamp:150W HPS 15000Lm


TYPE V

Isolux curve



Mouthing Height:4m


Photometric curve



Lamp:70W HPS 6000Lm

TYPE V

Isolux curve




Mouthing Height:4m

Ordering Guide

Luminaire No. - Pole No.

Order No.	HEIGHT mm	Luminaire Ctn. cm	Total Vol m ³	G.W./N.W. kg/ctn	QUANTITIES 20'/40'
HA259	1020	33x33x105/1pcs	0.11	12/10	238/476
HA259-PS05-3.0	4000	33x33x105/1pcs	0.23	42/40	104/224
HA259-PS05-4.0	5000	33x33x105/1pcs	0.27	55/47	88/190
HA259-PS06-3.0	4000	33x33x105/1pcs	0.23	48/40	104/224
HA259-PS06-4.0	5000	33x33x105/1pcs	0.27	52/50	88/190
HA259X	1020	33x33x105,78x78x18	0.15	14/12	120/240
HA259X-PS05-3.0	4000	33x33x105,78x78x18	0.27	44/42	80/160
HA259X-PS05-4.0	5000	33x33x105,78x78x18	0.31	51/49	70/150
HA259X-PS06-3.0	4000	33x33x105,78x78x18	0.27	44/42	80/160
HA259X-PS06-4.0	5000	33x33x105,78x78x18	0.31	54/52	70/150

Note: HA259X canopy package:70X770X300/5 PCS



HA259X-PS06 -4.0-GY

HA259-PS06-3.0-GY

HA259-PS05- 4.0-GY

HA259X-PS05- 3.0-GY